

# P295

## Miniature Slip Printer

### Features

- Worlds Smallest Slip Printer
- Only 1.6 Kg
- Epson's ESC/POS Command Set
- Easy-To-Use Touch Panel
- Four Print Directions
- Auto Eject



### Description:

Just 1.6kg and ultra compact, the P295 is the worlds smallest slip printer. Select from among 4 print sizes and four printing directions. Or, use page mode to tell the printer where to print the page. The P295 is also equipped with a host of user-friendly features, such as an easy-to-operate touch panel and an automatic paper eject function.

The P295 offers printing capabilities of normal, double and quadruple size print in either horizontal or vertical formats. The P295 will print multi-part copies. original and two copies and supports dual cash drawer capability. The P295 is uses a serial interface and meets all world-wide regulatory requirements including UL, CSA and CE mark. The P295 utilizes the PA295 Universal Power Supply Adaptor which is an auto-switching supply. The P295 is Windows and OPOS compliant.

### Specifications

<b>Print Method</b>	7-pin, serial impact dot matrix
<b>Print Font</b>	
Font	5 x 7/7 x 7
Column capacity	35 / 42 columns
Character size(mm)	1.6 (W) x 2.9 (H) / 1.3 (W) x 2.9 (H)
Character set	95 Alphanumeric 32 International 128 x 3 Graphic
Characters Per Inch	13.5 CPI / 16.2 CPI
<b>Interface</b>	RS-232C
<b>Data Buffer</b>	512 bytes
<b>Print Speed</b>	2.1 LPS
<b>Paper</b>	
Dimensions (mm)	80(W) x 69(L) x to 182(W) x 257(L)
Thickness (mm)	0.09 to 0.35
<b>Copy Capability</b>	One original and two copies
Inked Ribbon	ERC-27 (Purple)
<b>Power</b>	24 DVC± 10%
<b>Current Consumption</b>	Approx. 600 mA
<b>Overall</b>	180(W) x 19.5(D) x 101.5(H) mm
<b>Dimensions</b>	
<b>Weight</b>	1.6 kg (Approx)
<b>EMI Standard</b>	VCC # 1, FCC class A, CE marking
<b>Safety Standards</b>	UL / C-UL / TUV

### How To Order:

EXAMPLE      P295

Series   
 P295 Slip Printer

### Accessories

- PA295 = Universal Power Supply Adaptor
- P2CA25M9ML6 = 6' Serial Cable for SUPERtrol I, SUPERtrol ILE, LEVELtrol II, SUPERtrol II

